

-1-

PA

SEQUENCE LISTING

- <110> Nisson, Paul Jesse, Joel Li, Wu-bo
- <120> Method for Isolating and Recovering Target DNA or RNA Molecules Having a Desired Nucleotide Sequence
- <130> 0942.4800002/RWE/ALS
- <140> US 09/829,066
- <141> 2001-04-10
- <150> US 09/103,577
- <151> 1998-06-24
- <150> US 60/050,729
- <151> 1997-06-25
- <160> 12
- <170> PatentIn version 3.0
- <210> 1
- <211> 23
- <212> DNA
- <213> Artificial Sequence
- <220>
- <223> degenerate oligonucleotide
- <220>
- <221> misc_feature
- <222> 3
- <223> where n is g, t, a, or c
- <220>
- <221> misc_feature
- <222> 12
- <223> where n is g, t, a, or c
- <220>
- <221> misc_feature
- <222> 21
- <223> where n is g, t, a, or c
- <400> 1
- gtn tgy gay ggn tty cay gtn gg
- <210> 2
- <211> 23
- <212> DNA
- <213> Artificial Sequence
- <220>

```
<223> degenerate oligonucleotide
<220>
<221> misc_feature
<222> 3
<223> where n is 2-amino-6-methoxyaminopurine
<220>
<221> misc feature
<222> 6
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc_feature
<222> 9
<223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc feature
<222> 12
<223> where n is 2-amino-6-methoxyaminopurine
<220>
<221> misc_feature
<222> 15
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc_feature
<222> 18
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc_feature
<222> 21
<223> where n is 2-amino-6-methoxyaminopurine
<400> 2
                                                                            23
 gtn tgn gan ggn ttn can gtn gg
 <210> 3
 <211> 23
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> degenerate oligonucleotide
 <220>
 <221> misc_feature
 <222> 3
 <223> where n is 2-amino-6-methoxyaminopurine
 <220>
 <221> misc_feature
 <222> 6
 <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
 <220>
```

<221> misc_feature

, s

<220>

```
<222> 9
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc_feature
<222> 12
<223> where n is 2-amino-6-methoxyaminopurine
<220>
<221> misc feature
<222> 15
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc_feature
<222> 18
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4, 5-c][1, 2] oxazin-7-one
<220>
<221> misc_feature
<222> 21
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4, 5-c][1, 2] oxazin-7-one
<400> 3
gtn tgn gan ggn ttn can gtn gg
 <210> 4
 <211> 23
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> degenerate oligonucleotide
 <220>
 <221> misc feature
 <222> 3
 <223> where n is 2-amino-6-methoxyaminopurine
 <220>
 <221> misc_feature
 <222> 6
 <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
 <220>
 <221> misc_feature
  <222> 9
  <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <220>
  <221> misc_feature
  <222> 12
  <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <220>
  <221> misc_feature
  <222> 15
  <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
```

```
<221> misc_feature
<222> 18
<223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc feature
<222> 21
<223> where n is 2-amino-6-methoxyaminopurine
<400> 4
gtn tgn gan ggn ttn can gtn gg
<210> 5
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> degenerate oligonucleotide
 <220>
 <221> misc_feature
 <222> 3
 <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
 <220>
 <221> misc_feature
 <222> 6
 <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
 <220>
 <221> misc_feature
 <222> 9
 <223> where n is 6H, 8H-3, 4-dihydropyrimido[4, 5-c][1, 2] oxazin-7-one
 <220>
 <221> misc_feature
 <222> 12
 <223> where n is 2-amino-6-methoxyaminopurine
 <220>
  <221> misc_feature
  <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <222> 15
  <220>
  <221> misc_feature
  <222> 18
  <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <220>
  <221> misc_feature
  <222> 21
  <223> where n is 2-amino-6-methoxyaminopurine
  <400> 5
  gtn tgn gan ggn ttn can gtn gg
```

23

-5-

```
<210> 6
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> degenerate oligonucleotide
<220>
<221> misc_feature
<222> 3
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc_feature
<222> 6
<223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc_feature
<222> 9
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
 <220>
 <221> misc_feature
 <222> 12
 <223> where n is 2-amino-6-methoxyaminopurine
 <220>
 <221> misc_feature
 <222> 15
 <223> where n is 6H, 8H-3, 4-dihydropyrimido[4, 5-c][1, 2] oxazin-7-one
 <220>
 <221> misc_feature
 <222> 18
 <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
 <220>
 <221> misc_feature
 <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <222> 21
 <400> 6
                                                                             23
 gtn tgn gan ggn ttn can gtn gg
  <210> 7
  <211> 23
  <212> DNA
  <213> Artificial Sequence
  <220>
  <223> degenerate oligonucleotide
  <220>
  <221> misc_feature
  <222> 3
  <223> where n is 2-amino-6-methoxyaminopurine
  <220>
```

```
<221> misc_feature
<222> 6
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4, 5-c][1, 2] oxazin-7-one
<220>
<221> misc_feature
<222> 9
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4, 5-c][1, 2] oxazin-7-one
<220>
<221> misc feature
<222> 12
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc_feature
<222> 15
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc_feature
 <222> 18
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
 <220>
 <221> misc_feature
 <222> 21
 <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
 <400> 7
 gtn tgn gan ggn ttn can gtn gg
 <210> 8
 <211> 23
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> degenerate oligonucleotide
 <220>
  <221> misc_feature
 <222> 3
 <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <220>
  <221> misc feature
  <222> 6
  <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <220>
  <221> misc_feature
  <222> 9
  <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <220>
  <221> misc_feature
  <222> 12
  <223> where n is 6H, 8H-3, 4-dihydropyrimido[4, 5-c][1, 2] oxazin-7-one
```

-7-

```
<220>
<221> misc_feature
<222> 15
<223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<220>
<221> misc feature
<223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
<222> 18
<220>
<221> misc_feature
<222> 21
<223> where n is 2-amino-6-methoxyaminopurine
<400> 8
gtn tgn gan ggn ttn can gtn gg
<210> 9
 <211> 23
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> degenerate oligonucleotide
 <220>
 <221> misc_feature
 <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
 <220>
 <221> misc_feature
 <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
 <222> 6
 <220>
  <221> misc_feature
 <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <220>
  <221> misc_feature
  <222> 12
  <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <220>
  <221> misc_feature
  <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <222> 15
  <220>
  <221> misc_feature
  <222> 18
  <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
  <220>
  <221> misc_feature
  <222> 21
  <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
```

```
23
<400> 9
gtn tgn gan ggn ttn can gtn gg
<210> 10
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> oligonucleotide
                                                                         25
<400> 10
gac cgt tca gct gga tat tac ggc c
 <210> 11
 <211> 13
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> consensus sequence for initiation
       of translation by eukaryotic ribosomes
                                                                    13
 <400> 11
 gcc gcc rcc aug g
 <210> 12
  <211> 23
  <212> DNA
  <213> Artificial Sequence
  <220>
  <223> degenerate oligonucleotide
  <220>
  <221> misc_feature
  <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
        or 2-amino-6-methoxyaminopurine
  <220>
  <221> misc_feature
  <223> where n is 6H, 8H-3, 4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
   <220>
   <221> misc feature
   <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
   <220>
   <221> misc feature
   <223> where n is 6H,8H-3,4-dihydropyrimido[4,5-c][1,2]oxazin-7-one
         or 2-amino-6-methoxyaminopurine
```